LINAX

JAPANESE TILE WORLD

DELICATE TECHNIQUES AND REPUTABLE QUALITY

Welcome to the world of JAPANESE TILE

INAX tile collection.
Since 1924 – every single INAX tile comes alive with our long-term tile technology and comprehensive quality control.
Tile collections are blessed with creative quality and sensitivity, from traditional Japanese-style tiles radiating a distinctive atmosphere to Western-style tiles that create superb modern spaces.
Carefully finished texture dwells in the delicately finished details.
Delicate Japanese tiles are known for their reliable quality for creating premium space that inspires the hearts of beholders.

INDEX

02 SENTOUSAI
04 TOUJURIN
06 SEKIHA
08 CRESCENT BORDER
10 PLATEAU BLOCK
12 ARENALEAF
14 HOSOWARI BORDER
16 YOHEN BORDER
18 ARMURE
20 PREMIUM CUBE
22 YUKI BORDER New
24 WAVE BORDER
26 LASCAVE Renewal
27 IZUMO
28 DENT CUBE
29 MOGUL
30 FORMAT-MIX
32 VISORE
34 STREAM BORDER
36 MIROCAVE
38 MADOKA-R
40 RIDGE New
42 RHYTHMIC II Renewal
44 RHYTHMIC II CROCHET Renewal
46 FOUREFLE
48 LE CHOCOLAT
49 L-MOSAIC
50 REPEAT WAVE
51 JIMON New
52 DELTA New
53 WAVES New
53 BULLION BORDER New

千陶彩

SENTOUSAI

HAL-RN/STS-1

HAL-RN/STS-2

HAL-RN/STS-3

HAL-RN/STS-1~STS-3

[size/pc]	235×13 mm
[size/sht]	237×90 mm
[thickness]	22 mm
[quantity/sqm]	46.9 shts
[quantity/carton]	30 shts
[weight/carton]	18.3 kg



Silicon joint
Joint color: Gray

APPLICABLE AREA:
Bathroom wall × Interior wall ○ Interior floor × Exterior wall ○

INSTALLATION MATERIAL AND GROUTING:
Adhesive ○ Mortar × Grouting ×

NOTE:
●Gray net may be visible from between joints.
●Has color variation even within the same batch.

"Kawarabei"

Traditional artisans in Japan had an eco-aware custom of reusing old roof tiles of various shapes as material for the exterior walls of new houses. These walls show fragments of these roof tiles kneaded into them. INAX's Sentousai tiles recreate the natural textures of these *kawarabei*, i.e., plaster (mud) walls. Three types of tiles, all with different thicknesses, make up Sentousai. The lights and shadows produced by these differences in thicknesses are a unique feature of these unusual Sentousai tiles.

TOUJURIN

HAL-R/BLD-1


HAL-R/BLD-2


HAL-R/BLD-3

HAL-R/BLD-4

HAL-R/BLD-1~BLD-4

[size/pc] 198×10 mm
[size/sht] 200×150 mm
[thickness] 30 mm
[quantity/sqm] 34 shts
[quantity/carton] 10 shts
[weight/carton] 7 kg



Net mounted on back
Joint color: Gray

APPLICABLE AREA:
Bathroom wall ✕ Interior wall ○ Interior floor ✕ Exterior wall ○

INSTALLATION MATERIAL AND GROUTING:
Adhesive ○ Mortar ✕ Grouting ✕

NOTE:
●Gray net may be visible from between joints.
●Has color variation even within the same batch.

陶樹林

積刃石

SEKIHA

HAL-R/SKH-1

HAL-R/SKH-2

HAL-R/SKH-4

HAL-R/SKH-5

HAL-R/SKH-1~SKH-5

[size/pc] 235×14 mm
[size/sht] 237×300 mm
[thickness] 14.5 mm,18 mm
[quantity/sqm] 14.1 shts
[quantity/carton] 14 shts
[weight/carton] 19.7 kg



Net mounted on back
Net color: Gray

APPLICABLE AREA:
Bathroom wall ✕ Interior wall ○ Interior floor ✕ Exterior wall ○

INSTALLATION MATERIAL AND GROUTING:
Adhesive ○ Mortar ✕ Grouting ✕

NOTE:
●Gray net may be visible from between joints.
●Has color variation even within the same batch.

“Mikazuki”

Since the eighth century when the Manyoshu, Japan's oldest poetry anthology, was compiled, persons of compassion and sensitivity have sought to express their feelings about the moon through a richness of expression that illustrates the different impressions the heavenly orb has made through the ages. CRESCENT BORDER tiles present a contrast in color reflecting the radiant glow of pearly moonbeams on iridescent ocean waves. This eternal play of light and shadow is recreated by these radial tiles in their accent on interior design.

CRESCENT BORDER

DCF-10BNET/CRS-1

DCF-10BNET/CRS-2

DCF-10BNET/CRS-3

DCF-10BNET/CRS-4

DCF-10BNET/CRS-1~CRS-4

[size/pc] 147.5×10 mm
[size/sht] 300×150 mm
[thickness] 7~22 mm
[quantity/sqm] 22.3 shts
[quantity/carton] 12 shts
[weight/carton] 15.2 kg



Net mounted on back
Net color: Gray

APPLICABLE AREA:
Bathroom wall × Interior wall ○ Interior floor × Exterior wall ×

INSTALLATION MATERIAL AND GROUTING:
Adhesive ○ Mortar × Grouting ×

NOTE:
- Gray net may be visible from between joints.
- Has color variation even within the same batch.
- There may be have non-uniform lines on the surface.

弦月波

割破片

PLATEAU BLOCK

DCF-30NET/PLK-1

DCF-30NET/PLK-2

DCF-30NET/PLK-3

DCF-30NET/PLK-4

DCF-30NET/PLK-1~PLK-4

[size/pc] 28×28 mm
[size/sht] 300×300 mm
[thickness] 10 mm
[quantity/sqm] 11.2 shts
[quantity/carton] 12 shts
[weight/carton] 15.2 kg



Net mounted on back
Net color: Gray

APPLICABLE AREA:
Bathroom wall × Interior wall ○ Interior floor × Exterior wall ×

INSTALLATION MATERIAL AND GROUTING:
Adhesive ○ Mortar × Grouting ×

NOTE:
●Gray net may be visible from between joints.
●Has color variation even within the same batch.

“Tatami”

Traditional tatami flooring is indispensable to daily life in Japan. Its natural dry scent comes from the interwoven stalks of igusa, a rush-like plant , that covers tatami. It also recalls the comfort and relaxation associated with kicking off footwear and any stresses remaining after finally arriving home after a long day. ARENALEAF tile designs feature the flexible, relaxing interwoven pattern of tatami that underlies home life. A wall of ARENALEAF tile presents the relaxing space and sophisticated ambience associated with modern Japanese living.

ARENALEAF



DCF-150BNET/
ANF-1

DCF-150BNET/
ANF-2

DCF-150BNET/
ANF-3

DCF-150BNET/ANF-1~ANF-3

[size/pc]	148×18.5 mm
[size/sht]	150×300 mm
[thickness]	5~9.5 mm
[number per]	22.3 shts
[sht/case]	12 shts
[weight/case]	8.7 kg



Net mounted on back
Net color: Gray

APPLICABLE AREA:
Bathroom wall × Interior wall ○ Interior floor × Exterior wall ×

INSTALLATION MATERIAL AND GROUTING:
Adhesive ○ Mortar × Grouting ×

NOTE:
- Gray net may be visible from between joints.
- Has color variation even within the same batch.

砂落葉

細割

HOSOWARI BORDER

NORMAL

HAL-20BN/HB-1

HAL-20BN/HB-5

HAL-20BN/HB-6

HAL-20BN/HB-7

RANDOM

HAL-20BR/HB-1

HAL-20BR/HB-5



HAL-20BR/HB-6

HAL-20BR/HB-7

HAL-20BN/HB-1~HB-7
HAL-20BR/HB-1~HB-7

[size/pc] 235×19.5 mm
[size/sht] 237×303 mm
[thickness] 13.5 mm
[quantity/sqm] 14 shts
[quantity/carton] 14 shts
[weight/carton] 20.5 kg



Net mounted on back
Net color: Gray

APPLICABLE AREA:
Bathroom wall ✕ Interior wall ○ Interior floor ✕ Exterior wall ○

INSTALLATION MATERIAL AND GROUTING:
Adhesive ○ Mortar ✕ Grouting ✕

NOTE:
●Gray net may be visible from between joints.
●Has color variation even within the same batch.

YOHEN BORDER

IM-1015P1/YB1H

IM-1015P1/YB4H


IM-1015P1/YB11H


IM-1015P1/YB12H


IM-1015P1/YB13H

IM-1015P1/YB1…YB13H

[size/pc] 98×12.5 mm
[size/sht] 300×300 mm
[thickness] 6 mm
[quantity/sqm] 11.5 shts
[quantity/carton] 22 shts
[weight/carton] 20 kg



Net(Paper) mounted on back

APPLICABLE AREA:
Bathroom wall ○ Interior wall ○ Interior floor × Exterior wall ×

INSTALLATION MATERIAL AND GROUTING:
Adhesive ○ Mortar × Grouting ○

NOTE:
●Color difference may occur between samples and actual batch.
●Has color variation.
●Water-proofing adhesive is required for bathroom wall installation.

窯変

Designed by Doherty Lynch

鎧和竹

ARMURE

HAL-30B/AMR-1

HAL-30B/AMR-2


HAL-30B/AMR-3

HAL-30B/AMR-1~AMR-3

[size/pc]	235×33 mm
[size/sht]	238×300 mm
[thickness]	14 mm
[quantity/sqm]	14.1 shts
[quantity/carton]	12 shts
[weight/carton]	22.2 kg



Net mounted on back
Net color: Gray

APPLICABLE AREA:
Bathroom wall ✕ Interior wall ○ Interior floor ✕ Exterior wall ○

INSTALLATION MATERIAL AND GROUTING:
Adhesive ○ Mortar ✕ Grouting ✕

NOTE:
●Gray net may be visible from between joints.
●Has color variation even within the same batch.

"Takegaki"

Bamboo forest scenes have long been one of the structural elements featured in Japanese temples and traditional houses. Takegaki (Bamboo fences) have been developed to partition parts of gardens and to provide privacy from outside interruptions. Artisans have shown their unique and sophisticated originality in the designs. ARMURE patterns reminiscent of Western chain-mail armor provide the motif of a bamboo fence in its beautiful straight lines reaching like bamboo toward the sky. The addition of a semishiny finish further accentuates its attractiveness.

PREMIUM CUBE

DCF-R/PEC-1

DCF-R/PEC-2

DCF-R/PEC-3

DCF-R/PEC-1~ PEC-3

[size/pc] (47.5, 72.5)×47.5 mm
[size/sht] 300×300 mm
[thickness] 11 mm
[quantity/sqm] 11.2 shts
[quantity/carton] 12 shts
[weight/carton] 22.5 kg



Net mounted on back
Net color: Gray

APPLICABLE AREA:
Bathroom wall × Interior wall ○ Interior floor × Exterior wall ×

INSTALLATION MATERIAL AND GROUTING:
Adhesive ○ Mortar × Grouting ×

NOTE:
●Gray net may be visible from between joints.
●Powders may fall off when it is scratched.

湿優土

釉季

YUKI BORDER

New

IM-1520P1/YKR1

IM-1520P1/YKR2

IM-1520P1/YKR3

IM-1520P1/YKR4

IM-1520P1/YKR1~ YKR4

[size/pc] 145×20 mm
[size/sht] 296×292.5 mm
[thickness] 8.5 mm
[quantity/sqm] 11.9 shts
[quantity/carton] 12 shts
[weight/carton] 17 kg



Net(Paper) mounted on back
Net color: Gray

APPLICABLE AREA:
Bathroom wall ○ Interior wall ○ Interior floor × Exterior wall ×

INSTALLATION MATERIAL AND GROUTING:
Adhesive ○ Mortar × Grouting ○

NOTE:
●Color difference may occur between samples and actual batch.
●Has color variation.
●Water-proofing adhesive is required for bathroom wall installation.

WAVE BORDER

New

DCF-20BNET/
WAB-1

DCF-20BNET/
WAB-2

DCF-20BNET/
WAB-3

DCF-20BNET/
WAB-4

DCF-20BNET/WAB-1~WAB-4

[size/pc] 235×19 mm
[size/sht] 237×300 mm
[thickness] 15.5 mm
[quantity/sqm] 14.1 shts
[quantity/carton] 12 shts
[weight/carton] 20 kg



Net mounted on back
Net color: Gray

APPLICABLE AREA:
Bathroom wall ✕ Interior wall ○ Interior floor ✕ Exterior wall ✕

INSTALLATION MATERIAL AND GROUTING:
Adhesive ○ Mortar ✕ Grouting ✕

NOTE:
- Gray net may be visible from between joints.
- Has color variation even within the same batch.
- Powders may fall off when it is scratched.

濤波割

遺跡孔

LASCAVE Renewal

HAL-75H/RSC-1

HAL-75H/RSC-2


HAL-75H/RSC-5

HAL-75H/RSC-1~RSC-5

[size/pc] 72×72 mm
[size/sht] 300×300 mm
[thickness] 8~14 mm
[quantity/sqm] 11.5 shts
[quantity/carton] 8 shts
[weight/carton] 15.5 kg



Silicon joint
Joint color: Gray

APPLICABLE AREA:
Bathroom wall ✕ Interior wall ○ Interior floor ✕ Exterior wall ○

INSTALLATION MATERIAL AND GROUTING:
Adhesive ○ Mortar ✕ Grouting ✕

NOTE:
●Gray net may be visible from between joints.
●Has color variation even within the same batch.
●This product can not be used with old model.

IZUMO

IZM-310/1

IZM-310/2

IZM-310/3

IZM-310/1~3

[size/pc] 294×94 mm
[size/sht] 300×100 mm
[thickness] 13 mm
[quantity/sqm] 33.4 shts
[quantity/carton] 33 shts
[weight/carton] 25 kg

APPLICABLE AREA:
Bathroom wall ○ Interior wall ○ Interior floor × Exterior wall ×
INSTALLATION MATERIAL AND GROUTING:
Adhesive ○ Mortar ○ Grouting ○

NOTE:
●Has color and glaze variation.
●Color difference may occur between samples and actual batch.

出雲

窪粒角

DENT CUBE

DCF-50NET/
DNC-1A



DCF-50NET/
DNC-2A

DCF-50NET/
DNC-1



DCF-50NET/
DNC-2

DCF-50NET/DNC-1A~DNC-2A

[size/pc] 47×47 mm
[size/sht] 300×300 mm
[thickness] 10 mm,18 mm
[quantity/sqm] 11.2 shts
[quantity/carton] 10 shts
[weight/carton] 18.5 kg



Net mounted on back
Net color: Gray

DCF-50NET/DNC-1~DNC-2

[size/pc] 47×47 mm
[size/sht] 300×300 mm
[thickness] 10 mm
[quantity/sqm] 11.2 shts
[quantity/carton] 10 shts
[weight/carton] 15 kg



Net mounted on back
Net color: Gray

APPLICABLE AREA:
Bathroom wall × Interior wall ○ Interior floor × Exterior wall ×

INSTALLATION MATERIAL AND GROUTING:
Adhesive ○ Mortar × Grouting ×

NOTE:
●Gray net may be visible from between joints.
●Has color variation even within the same batch.

MOGUL

MGL-20BNET/1



MGL-20BNET/2

MGL-20BNET/1~2

[size/pc] 235×19 mm
[size/sht] 237×303 mm
[thickness] 13 mm
[quantity/sqm] 14 shts
[quantity/carton] 14 shts
[weight/carton] 23.2 kg



Net mounted on back
Net color: Gray

APPLICABLE AREA:
Bathroom wall ✕ Interior wall ○ Interior floor ✕ Exterior wall ✕

INSTALLATION MATERIAL AND GROUTING:
Adhesive ○ Mortar ✕ Grouting ✕

NOTE:
●Gray net may be visible from between joints.
●Has color variation even within the same batch.

和小紋

FORMAT-MIX

YM-FORM/WH-MIX
[MIXED-WHITE]

YM-FORM/BL-MIX
[MIXED-BLACK]

YM-FORM/WH-MIX･BL-MIX

[size/pc]	100×(30, 50, 75) mm
[size/sht]	306×322 mm
[thickness]	7 mm, 9.5 mm
[quantity/sqm]	10.2 shts
[quantity/carton]	10 shts
[weight/carton]	15 kg



Net mounted on back
Net color: Gray

Applicable area:
Bathroom wall ○ Interior wall ○ Interior floor × Exterior wall ×

Installation Material and grouting:
Adhesive ○ Mortar × Grouting ×＊
＊Designed for open joint installation. But grouting is recommended for bathroom wall installation to avoid joints from being stained or smelling unpleasant.

Note:
●Water-proofing adhesive is required for bathroom wall installation.

Attention:
Please apply each sheet upside down when you apply this FORMAT-MIX.It does not look like the pattern on the photo below when all sheets are installed in the same direction and some tile pieces are set in the same straight line.



VISORE

YM-155Z/VIS-11
IM-45P1/VIS-11
[WHITE PEARL]



YM-155Z/VIS-12
IM-45P1/VIS-12
[BLACK PEARL]

YM-155Z/VIS-13
IM-45P1/VIS-13
[BROWN PEARL]

YM-155Z/VIS-21B
IM-45P1/VIS-21B
[WHITE PEARL]

YM-155Z/VIS-22B
IM-45P1/VIS-22B
[BLACK PEARL]



YM-155Z/VIS-23B
IM-45P1/VIS-23B
[BROWN PEARL]

〈NET MOUNTED ON BACK〉

YM-155Z/VIS-11…VIS-23B

[size/pc]	45×45 mm
[size/sht]	282×282 mm
[thickness]	9.5 mm
[quantity/sqm]	12.6 shts
[quantity/carton]	18 shts
[weight/carton]	22.5 kg



Net color: Gray

〈PAPER MOUNTED ON SURFACE〉

IM-45P1/VIS-11…VIS-23B

[size/pc]	45×45 mm
[size/sht]	288×288 mm
[thickness]	9.5 mm
[quantity/sqm]	12.1 shts
[quantity/carton]	18 shts
[weight/carton]	22.5 kg



APPLICABLE AREA:
Bathroom wall ○ Interior wall ○ Interior floor × Exterior wall ×

INSTALLATION MATERIAL AND GROUTING:
Adhesive ○ Mortar × Grouting ×＊
＊Designed for open joint installation. But grouting is recommended to bathroom wall installation to avoid joints from being stained or smelling unpleasant.

NOTE:
●Handle carefully as it is easy to get scratches and stains may be remarkable due to Metallic glazing.
●Have color and glaze variation. ●Color difference may occur between samples and actual batch.
●Water-proofing adhesive is required for bathroom wall installation.

STREAM BORDER

〈FLAT〉



IM-315P1/IB-1FH
[IBUSHI]

〈ROUND〉



IM-315P1/IB-1RH
[IBUSHI]



IM-315P1/MW-1FH
[MATTE WHITE]

IM-315P1/MW-1RH
[MATTE WHITE]

IM-315P1/IB-1FH･MW-1FH

[size/pc]	145×30 mm
[size/sht]	300×300 mm
[thickness]	7 mm
[quantity/sqm]	11.5 shts
[quantity/carton]	20 shts
[weight/carton]	22.5 kg



Paper mounted on surface

IM-315P1/IB-1RH･MW-1RH

[size/pc]	145×30 mm
[size/sht]	300×300 mm
[thickness]	7～10 mm
[quantity/sqm]	11.5 shts
[quantity/carton]	15 shts
[weight/carton]	16 kg



Paper mounted on surface

APPLICABLE AREA:
Bathroom wall ○ Interior wall ○ Interior floor × Exterior wall ○

INSTALLATION MATERIAL AND GROUTING:
Adhesive ○ Mortar ○ Grouting ○

NOTE:
●Color difference may occur between samples and actual batch.



MIROCAVE

DCF-50NET/MRV-1
[LUSTER WHITE]

DCF-50NET/MRV-2
[LUSTER BLACK]

DCF-50NET/MRV-3
[LUSTER BLUE]

DCF-50NET/MRV-4
[LUSTER BRONZE]



DCF-50NET/MRV-5
[LUSTER YELLOW]

DCF-50NET/MRV-1~ MRV-5

[size/pc]	45×48 mm
[size/sht]	300×300 mm
[thickness]	10 mm
[quantity/sqm]	11.2 shts
[quantity/carton]	12 shts
[weight/carton]	17 kg



Net mounted on back
Net color: Gray

Applicable area:
Bathroom wall ○ Interior wall ○ Interior floor × Exterior wall ×

Installation Material and grouting:
Adhesive ○ Mortar × Grouting ×＊
＊Designed for open joint installation. But grouting is recommended to bathroom wall installation to avoid joints from being stained or smelling unpleasant.

Note:
●Water-proofing adhesive is required for bathroom wall installation.
●Gray net may be visible from between joints.
●Handle carefully as it is easy to get scratches and stains may be remarkable due to Metallic glazing.

MADOKA-R

IM-45P1/MDK-31
[YUKI]

IM-45P1/MDK-32
[ORIBE]



IM-45P1/MDK-33
[KAEDE]



IM-45P1/MDK-34
[IRAKA]



IM-45P1/MDK-35
[IBUSHI]

IM-45P1/MDK-31~ MDK-35

[size/pc] 45×45 mm
[size/sht] 288×288 mm
[thickness] 9.5 mm
[quantity/sqm] 12.1 shts
[quantity/carton] 18 shts
[weight/carton] 22.5 kg



Paper mounted on surface

APPLICABLE AREA:
Bathroom wall ○ Interior wall ○ Interior floor × Exterior wall ×

INSTALLATION MATERIAL AND GROUTING:
Adhesive ○ Mortar ○ Grouting ○

NOTE:
- Grouting is necessary for bathroom wall use.
- Handle MDK-35 carefully as it is easy to get scratches and stains may be remarkable due to Metallic glazing.
- Has color and glaze variation.

RIDGE

New



IM-5105P1/RG1

IM-5105P1/RG2

IM-5105P1/RG3

IM-5105P1/RG1~ RG3

[size/pc]	46.3×93.3 mm
[size/sht]	250×315 mm
[thickness]	9 mm
[quantity/sqm]	12.7 shts
[quantity/carton]	16 shts
[weight/carton]	23 kg



Net mounted on back
Net color: Gray

APPLICABLE AREA:
Bathroom wall ○ Interior wall ○ Interior floor × Exterior wall ×

INSTALLATION MATERIAL AND GROUTING:
Adhesive ○ Mortar × Grouting ○

NOTE:
●Handle carefully as it is easy to get scratches and stains may be remarkable due to Metallic glazing.
●Water-proofing adhesive is required for bathroom wall installation.

HAL-20B/RHY-1(Old model)

RHYTHMIC Ⅱ

Renewal

HAL-20B/RYS-1

HAL-20B/RYS-2

HAL-20B/RYS-3

HAL-20B/RYS-1~RYS-3

[size/pc] (225.5, 70.5)×19.5 mm
[size/sht] 300×300 mm
[thickness] 13 mm
[quantity/sqm] 11.2 shts
[quantity/carton] 12 shts
[weight/carton] 21.1 kg



Net mounted on back
Net color: Gray

Applicable area:
Bathroom wall × Interior wall ○ Interior floor × Exterior wall ○

Installation Material and Grouting:
Adhesive ○ Mortar × Grouting ×

Note:
●Gray net may be visible from between joints.
●Has color variation even within the same batch.
●This product can not be used with old model.



RHYTHMIC Ⅱ
CROCHET

Renewal

HAL-30B/RYC-1

HAL-30B/RYC-2

HAL-30B/RYC-3

HAL-30B/RYC-1~RYC-3

[size/pc]	(87, 57)×27 mm
[size/sht]	300×300 mm
[thickness]	15 mm
[quantity/sqm]	11.2 shts
[quantity/carton]	12 shts
[weight/carton]	22.9 kg



Net mounted on back
Net color: Gray

Applicable area:
Bathroom wall × Interior wall ○ Interior floor × Exterior wall ○

Installation Material and grouting:
Adhesive ○ Mortar × Grouting ×

Note:
- Gray net may be visible from between joints.
- Has color variation even within the same batch.
- This product can not be used with old model.

Chiba Restaurant
Designed by Isabelle Oliveri of Studio IOD Melbourne
HAL-30B/CRC-1(Old model)

Designed by Doherty Lynch
IM-1025P1/FRF-1

FOUREFLE

〈BRIGHT〉

IM-1025P1/FRF-1
[WHITE]

IM-1025P1/FRF-2
[BLUE]



IM-1025P1/FRF-3
[RED]

IM-1025P1/FRF-4
[BLACK]

〈BRIGHT〉

IM-1025P1/FRF11

IM-1025P1/FRF12

〈MAT〉

IM-1025P1/FRF13

IM-1025P1/FRF14

IM-1025P1/FRF-1~FRF-4

[size/pc] 95×20 mm
[size/sht] 294×292.5 mm
[thickness] 8, 8.5 mm
[quantity/sqm] 11.7 shts
[quantity/carton] 16 shts
[weight/carton] 20.6 kg



Paper mounted on surface

IM-1025P1/FRF-11~FRF-14

[size/pc] 95×20 mm
[size/sht] 300×300 mm
[thickness] 8, 8.5 mm
[quantity/sqm] 11.5 shts
[quantity/carton] 12 shts
[weight/carton] 16 kg



Net mounted on back
Net color: Gray

APPLICABLE AREA:
Bathroom wall ○ Interior wall ○ Interior floor × Exterior wall ×

INSTALLATION MATERIAL AND GROUTING:
Adhesive ○ Mortar × Grouting ×＊
＊Designed for open joint installation. But grouting is recommended to bathroom wall installation to avoid joints from being stained or smelling unpleasant.

NOTE:
●Has color variation. ●Color difference may occur between samples and actual batch.
●Water-proofing adhesive is required for bathroom wall installation.



LE CHOCOLAT

〈BRIGHT〉 〈MAT〉



YM-35NET/LC-4

YM-35NET/LC-1

YM-35NET/LC-3

YM-35NET/LC-1...LC-4

[size/pc]	35×35 mm
[size/sht]	292×292 mm
[thickness]	9 mm
[quantity/sqm]	11.8 shts
[quantity/carton]	15 shts
[weight/carton]	20 kg



Net mounted on back
Net color: Gray

APPLICABLE AREA:
Bathroom wall ○ Interior wall ○ Interior floor × Exterior wall ×

INSTALLATION MATERIAL AND GROUTING:
Adhesive ○ Mortar Mortar × Grouting ×＊
＊Designed for open joint installation. But grouting is recommended to bathroom wall installation to avoid joints from being stained or smelling unpleasant.

NOTE:
●Water-proofing adhesive is required for bathroom wall installation.

L-MOSAIC



IM-P1/LMZ-1
[WHITE]



IM-P1/LMZ-2
[BLACK]

IM-P1/LMZ-3
[TURQUOISE BLUE]

IM-P1/LMZ-1~LMZ-2

[size/pc] (47.5+22.5)×(47.5+22.5) mm
[size/sht] 300×300 mm
[thickness] 8 mm
[quantity/sqm] 11.2 shts
[quantity/carton] 16 shts
[weight/carton] 20 kg



Net(Paper) mounted on back

IM-P1/LMZ-3

[size/pc] (47.5+22.5)×(47.5+22.5) mm
[size/sht] 300×100 mm
[thickness] 8 mm
[quantity/lm] 3.4 shts
[quantity/carton] 10 shts
[weight/carton] 4.2 kg



Net(Paper) mounted on back

APPLICABLE AREA:
Bathroom wall ○ Interior wall ○ Interior floor × Exterior wall ×

INSTALLATION MATERIAL AND GROUTING:
Adhesive ○ Mortar ○ Grouting ○

NOTE:
●Color difference may occur between samples and actual batch.



REPEAT WAVE

〈ROUND〉



IM-7530P1/RW-1
[MATTE WHITE]



IM-7530P1/RW-2
[IBUSHI]

IM-7530P1/RW-1~ RW-2

[size/pc]	72×27 mm
[size/sht]	300×300 mm
[thickness]	7～9 mm
[quantity/sqm]	11.2 shts
[quantity/carton]	14 shts
[weight/carton]	20 kg



Paper mounted on surface

APPLICABLE AREA:
Bathroom wall ○ Interior wall ○ Interior floor × Exterior wall ×

INSTALLATION MATERIAL AND GROUTING:
Adhesive ○ Mortar ○ Grouting ○

NOTE:
●Color difference may occur between samples and actual batch.

JIMON

New

IM-515P1/JMM1
[WHITE-MIX]

IM-515P1/JMM2
[BLACK-MIX]

IM-515P1/JMM1~JMM2

[size/pc]	145×45 mm
[size/sht]	300×300 mm
[thickness]	7.5 mm
[quantity/sqm]	11.2 shts
[quantity/carton]	16 shts
[weight/carton]	23 kg



Paper mounted on surface

APPLICABLE AREA:
Bathroom wall ○ Interior wall ○ Interior floor × Exterior wall ×

INSTALLATION MATERIAL AND GROUTING:
Adhesive ○ Mortar ○ Grouting ○

NOTE:
●Color difference may occur between samples and actual batch.



DELTA

New

IM-50P1/DL1
[LUSTER WHITE]

IM-50P1/DL2
[LUSTER BLACK]

IM-50P1/DL1~DL2

[size/pc]	47×47 mm
[size/sht]	300×300 mm
[thickness]	7 mm
[quantity/sqm]	11.2 shts
[quantity/carton]	20 shts
[weight/carton]	23.5 kg



Net(Paper) mounted on back

APPLICABLE AREA:
Bathroom wall ○ Interior wall ○ Interior floor × Exterior wall ×

INSTALLATION MATERIAL AND GROUTING:
Adhesive ○ Mortar × Grouting ○

NOTE:
- Handle carefully as it is easy to get scratches and stains may be remarkable due to Metallic glazing.
- Has color and glaze variation.
- Color difference may occur between samples and actual batch.
- Water-proofing adhesive is required for bathroom wall installation.

WAVES

New

IM-50P1/WV1
[LUSTER WHITE]

IM-50P1/WV2
[LUSTER BLACK]

IM-50P1/WV1~WV2

[size/pc]	47×47 mm
[size/sht]	300×300 mm
[thickness]	7 mm
[quantity/sqm]	11.2 shts
[quantity/carton]	20 shts
[weight/carton]	23.6 kg



Net(Paper) mounted on back

APPLICABLE AREA:
Bathroom wall ○ Interior wall ○
Interior floor × Exterior wall ×

INSTALLATION MATERIAL AND GROUTING:
Adhesive ○ Mortar × Grouting ○

NOTE:
- Handle carefully as it is easy to get scratches and stains may be remarkable due to Metallic glazing.
- Has color and glaze variation.
- Color difference may occur between samples and actual batch.
- Water-proofing adhesive is required for bathroom wall installation.

BULLION BORDER

New

IM-1520P1/BL1
[LUSTER WHITE]

IM-1520P1/BL2
[LUSTER BLACK]

IM-1520P1/BL1~BL2

[size/pc]	145×20 mm
[size/sht]	269×299 mm
[thickness]	8 mm
[quantity/sqm]	11.3 shts
[quantity/carton]	20 shts
[weight/carton]	26.7 kg



Net(Paper) mounted on back

APPLICABLE AREA:
Bathroom wall ○ Interior wall ○
Interior floor × Exterior wall ×

INSTALLATION MATERIAL AND GROUTING:
Adhesive ○ Mortar × Grouting ○

NOTE:
- Handle carefully as it is easy to get scratches and stains may be remarkable due to Metallic glazing.
- Has color and glaze variation.
- Color difference may occur between samples and actual batch.
- Water-proofing adhesive is required for bathroom wall installation.



LIXIL

LIXIL Corporation
http://global.lixil.co.jp/

JAPAN OFFICE:
11F Kasumigaseki Building,
3-2-5 Kasumigaseki, Chiyoda-ku,
Tokyo,100-6011, JAPAN
TEL: +81-3-6273-3255 FAX: +81-3-6273-3281

U.S.A. <California>
TEL: +1-424-237-1031 FAX: +1-424-237-1036
http://www.inax-usa.com/

KOREA <Seoul>
TEL: +82-2-512-6905 FAX: +82-2-512-6927
http://www.inaxkorea.co.kr/

TAIWAN <Taipei>
TEL: +886-2-2826-5888 FAX: +886-2-2826-5688
http://www.inax.com.tw/

CHINA <Shanghai>
TEL: +86-21-6334-3366 FAX: +86-21-6473-2360
http://www.lixil.cn/

VIETNAM
<Hanoi>
TEL: +84-4-3556-6153 FAX: +84-4-3556-6031

<Ho Chi Minh>
TEL: +84-8-3846-0916 FAX: +84-8-3846-0905
http://inax.com.vn/

0044 2013.3.30